

## BerryAlloc DPL Laminate

### MATERIAL SAFETY DATASHEET (MSDS)

#### 1. PRODUCT AND COMPANY IDENTIFICATION:

Common name/

Trade name: BerryAlloc DPL Laminate

Manufacturer: Berry Floor nv  
Industrielaan 100  
B - 8930 Menen

Telephone: + 32.56.52.84.80

#### 2. COMPOSITION AND INFORMATION ON INGREDIENTS:

Name:	CAS-no.	% by weight	Health	Risk
Formaldehyde	50-00-0	< 0,01 %	-	-

#### 3. HAZARDS IDENTIFICATION:

Installation of laminate :

When cutting, make sure you operate on a steady support.

#### 4. FIRST AID MEASURES:

Installation of laminate:

- If bleeding should occur due to cutting, use bandage under compression to prevent further bleeding. If bleeding doesn't stop, seek medical attention.
- If eye irritation occurs due to repeated exposure of the eyes to dust from cutting, rinse immediately with plenty of water.
- Cutting dust can be removed from skin by water and soap.

#### 5. FIRE AND EXPLOSION DATA:

Laminate is considered hardly inflammable.

Fire fighting media: Water, dry chemicals or foam.

## 6. ACCIDENTAL RELEASE MEASURES:

Not applicable.

## 7. HANDLING AND STORAGE:

Laminate is to be stored under roof, away from rain, snow and frost. The temperature should be around 18°C with a maximum humidity of 65%.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

Installation of laminate :

When cutting with a motorised cutting tool or electrical saw, make sure to employ the recommended personal protection outfit/ equipment.

Safety glasses. Minimise skin contact to dust. Gloves suitable for protection against cuts from rough, sharp edges are recommended.

Wear dust protective mask when ventilation is inadequate.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical state:	Solid material; DPL on HDF.
Colour:	Various colours/ patterns; otherwise not applicable
Odour:	Not applicable
Solubility description:	Insoluble in water and oil.
Density:	Approx. 900 kg/ m <sup>3</sup>
PH-value, cons. solution:	Not available

## 10. STABILITY AND REACTIVITY:

Laminate is considered stable and not reactive. It will not undergo any hazardous polymerisation.

## 11. TOXICOLOGICAL INFORMATION:

Laminate is considered not dangerous for humans.

## 12. ECOLOGICAL INFORMATION:

Not applicable.

## 13. DISPOSAL CONSIDERATIONS:

Laminate can be left at ordinary disposal sites/ containers.

The packing of plastic is made out of polyethylene (PE) and can be left at ordinary disposal sites/ containers.

The boxes of cardboard are to be deposited as ordinary paper where source segregation is a part of the local waste disposal programme.

## 14. TRANSPORT INFORMATION:

Road transport:	ADR	Not regulated
Ocean transport:	IMDG	Not regulated
Air transport:	IATA	Not regulated

## 15. OTHER REGULATORY INFORMATION:

Not regulated

## 16. OTHER INFORMATION:

Information sources:  
Technical Datasheet

Definitions:

DPL	Direct Pressure Laminate
HDF	High Density Fibreboard
MSDS	Material Safety Datasheet
ADR	Agreement on Dangerous Goods by Road (Europe)
CAS	Chemical Abstract Services
IATA	International Air Travel Association
IMDG	International Maritime Dangerous Goods code

Date of publication: 04.01.12